



- Out-of-the bag solution for prompt rescue – no assembly required
- Quickly raise or lower a fallen worker to safety — avoid suspension trauma
- Professional rescue solution
 enhances worker safety and corporate rescue plan



Miller QuickPick™ Rescue Kits

Iller QuickPick™ Rescue Kits deliver peace of mind during unexpected, stressful peer-rescue situations. The rescuer can remotely attach the system to the suspended worker while remaining securely anchored on the walking/working surface. All rescue components are contained in one easy-to-store kit with no assembly necessary — only requiring an overhead anchorage.



Premium and Standard Kit Configurations Provide a Choice of Two Options

Premium QuickPick Rescue Kit

Best choice for users whose job does not normally include rescue



Backup Braking System included in Premium Kit

The premium kit includes a Backup Braking System that acts as a secondary fall protection device. In case of accidental release of rope by the rescuer, a foolproof backup will quickly stop the system.

- Highly efficient hauling system with a 5:1 lifting ratio, making heavier loads easier to lift
- Complies with OSHA, ANSI A10.32 and the stringent ANSI Z359.4 Safety Requirements for Assisted Rescue and Self Rescue Systems, Subsystems and Components. (There is no applicable CSA standard.)
- Offers a 400 lb weight capacity

Standard QuickPick Rescue Kit

Designed for users more experienced with rescue

The standard kit provides an economical kit configuration for conducting rescues with workers who are confident in managing rescue systems.

- Efficient hauling system with a 4:1 lifting ratio, making heavier loads easier to lift
- Complies with OSHA and ANSI A10.32 (There is no applicable CSA standard.)
- Offers a 310 lb weight capacity



Available Models

| SILO | Description | waxiiiuiii Gapacity | i iouuci weigiii | |
|---|---|---------------------|------------------|--|
| QuickPick Premium Kits - Include backup braking system, pulleys, rope, rescue pole with | | | | |
| clip, pigtail rope control handle, carabiners, and cross-arm anchorage connector, | | | | |
| Miller Wr | ristBandit™ Tool Lanvard, kit hag and n | ole hag | | |

| QP/25FT | 25-ft. Working Length System | 400 lbs | 22.9 lbs. (10.3 kg) |
|----------|-------------------------------|---------|----------------------|
| QP/50FT | 50-ft. Working Length System | 400 lbs | 30.4 lbs. (13.7 kg) |
| QP/75FT | 75-ft. Working Length System | 400 lbs | 37.9 lbs. (117.1 kg) |
| QP/100FT | 100-ft. Working Length System | 400 lbs | 45.4 lbs. (20.5 kg) |

QuickPick Standard Kits - Include pulleys, rope, rescue pole with clip, pigtail rope control handle, carabiners, and cross-arm anchorage connector, Miller WristBandit™ Tool Lanyard, kit bag and pole bag.

| QP-1/25FT | 25-ft. Working Length System | 310 lbs | 17.6 lbs. (7.9 kg) |
|------------|-------------------------------|---------|---------------------|
| QP-1/50FT | 50-ft. Working Length System | 310 lbs | 25.1 lbs. (11.3 kg) |
| QP-1/75FT | 75-ft. Working Length System | 310 lbs | 32.6 lbs. (14.7 kg) |
| QP-1/100FT | 100-ft. Working Length System | 310 lbs | 40.1 lbs. (18.1 kg) |

QuickPick Components

| | • | | |
|--------|--|---------|--------------------|
| QP-EP | 12-ft. Rescue Pole with Carabiner Clip, Carabiner, Pigtail, Miller WristBandit™ Tool Lanyard and bag | NA | 5.7 lbs. (2.5 kg) |
| QP-SC | Replacement Carabiner Clip | NA | 0.1 lbs. (0.04 kg) |
| QP-RHA | Rope Control Handle | 400 lbs | 0.5 lbs. (0.2 kg) |

Equipped with a Carabiner Clip, the 12-ft. Rescue Remote Connection Pole enables the rescuer to connect the prerigged QuickPick Pulley System to the suspended worker. Also available for use with the Miller SafEscape® ELITE Rescue Descent Device.



Miller Revolution™ Harnesses

Engineered with 7 unique components and more than 11 key product features



Miller Turbo T-BAK™ Personal Fall Limiter

Tie-back safely with a selfretracting lifeline

> Use the MillerTwinTurboT-BAK™ Fall Protection System for 100% tie-off fall protection



Miller TurboLite™ Personal Fall Limiter

An effective solution when working with low fall clearance

Use the Miller Twin Turbo $^{\text{TM}}$ Fall Protection System for 100% tie-off fall protection



Safety at Height Training

Providing the awareness training essential for maintaining a safe work environment

- Fall Protection Rescue Training (Basic and Advanced)
- Confined Space & Confined Space EntryTraining
- · Confined Space Rescue

This equipment should only be used after reading the manufacturer's instructions. Failure to follow instructions could result in serious injury or fatality.



by Honeywell



Ask the Expert ... Ask Miller.

800/873-5242

Fax 800/892-4078

www.millerfallprotection.com

LMQPB/5M/0512

