






Product Family



Miller Welder Fall Protection Kits


Harness/Lanyard/Cross-Arm Anchorage Combo Kits

[Visit MillerFallProtection.com >](#)
[Interactive Miller Catalog >](#)
[Access the Miller Photo Gallery >](#)



Product Numbers & Ordering Information	Product Numbers	Details
	9650K/S/MBL	<p>Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, belt loops (650K); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; Small</p>
	9650K/UBL	<p>Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, belt loops (650K); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K)</p>
	9650K/XXLBL	<p>Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, belt loops (650K); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; XXLar</p>

	<p>9650K-7/S/M6FTBL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, side D-rings, belt loops (650K-7); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (81)</p>
	<p>9650K-7/U/6BL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, side D-rings, belt loops (650K-7); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (81)</p>
	<p>9650K-7W/BL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, side D-rings, belt loops (650K-7); 6-ft. web lanyard with SofStop shock absorber, 2 locking snap hooks (913K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K);</p>
	<p>9650K-7W/S/MBK</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, side D-rings, belt loops (650K-7); 6-ft. web lanyard with SofStop shock absorber, 2 locking snap hooks (913K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K);</p>
	<p>9650K-7W/XXLBL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, side D-rings, belt loops (650K-7); 6-ft. web lanyard with SofStop shock absorber, 2 locking snap hooks (913K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K);</p>
	<p>9650K-7W/U/4FTBL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, side D-rings, belt loops (650K-7); 4-ft. web lanyard with SofStop shock absorber, 2 locking snap hooks (913K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K);</p>
	<p>9650KFD-7/UBL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, side D-rings, front D-ring, belt loops (650KFD-7); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loo</p>

	<p>9650KFD-7W/U/6FTBL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, side D-rings, front D-ring, belt loops (650KFD-7); 6-ft. web lanyard with SofStop shock absorber, 2 locking snap hooks (913K); 6-ft. cross-arm strap with 1 loop & 1</p>
	<p>9650KW/BL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, belt loops (650K); 6-ft. web lanyard with SofStop shock absorber, 2 locking snap hooks (913K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; Universal,</p>
	<p>9751K/L/XLBL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with mating buckle chest & leg straps (751K); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; Large/XLarge, blue</p>
	<p>9751K/S/MBL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with mating buckle chest & leg straps (751K); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; Small/Medium, blue</p>
	<p>9751K/UBL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with mating buckle chest & leg straps (751K); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; Universal, blue</p>
	<p>9751K/XXLBL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with mating buckle chest & leg straps (751K); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; XXLarge, blue</p>
	<p>9751KW/L/XLBL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with mating buckle chest & leg straps (751K); 6-ft. web lanyard with SofStop shock absorber, 2 locking snap hooks (913K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; Large/XLarge, blue</p>
	<p>9751KW/S/MBL</p>	<p>Kit with Kevlar/Nomex Webbing Full-body harness with mating buckle chest & leg straps (751K); 6-ft. web lanyard with SofStop shock absorber, 2 locking snap hooks (913K); 6-ft. cross-</p>

Miller Welder Fall Protection Kits

		arm strap with 1 loop & 1 D-ring (8185K); bag; Small/Medium, blue
	9850K/LBL	Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps (850K); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; Large, blue
	9850K/MBL	Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps (850K); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; Medium, blue
	9850K/SBL	Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps (850K); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; Small, blue
	9850K/UBL	Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps (850K); 6-ft. wire rope lanyard with SofStop shock absorber, 2 locking snap hooks (907K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; Universal, blue
	9850K-7W/UBL	Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps, side D-rings (850K-7); 6-ft. web lanyard with SofStop shock absorber, 2 locking snap hooks (913K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; Univers
	9850KW/UBL	Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps (850K); 6-ft. web lanyard with SofStop shock absorber, 2 locking snap hooks (913K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; Universal, blue
	9850KW/XXLBL	Kit with Kevlar/Nomex Webbing Full-body harness with friction buckle shoulder straps, mating buckle chest & leg straps (850K); 6-ft. web lanyard with SofStop shock absorber, 2 locking snap hooks (913K); 6-ft. cross-arm strap with 1 loop & 1 D-ring (8185K); bag; XXLarge,

blue

Overview

Key Features

Each kit contains a full-body harness, 6-ft. web lanyard or wire rope lanyard with SofStop shock absorber and a 6-ft. cross-arm strap

Recommended Industries/Use

- Welding

Hazards

- Confined Space
- Fall from height
- Welding Flash

Regulations

- - Meets all applicable OSHA, ANSI and CSA standards

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

Maximum Working Capacity	All Miller harnesses are rated to 400 lbs. capacity
Webbing	Kevlar/Nomex

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Additional Information

800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com

Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com



For general inquiries
800.343.3411

[View other Sperian Sites](#)
© 2011 Sperian Protection