



Product Family





Titan Stretch Pack-Type Shock-Absorbing Lanyards



Titan Stretch Pack-Type Lanyards combine the integral Pack-Type Shock Absorber with a unique stretchable lanyard design.

[Visit MillerFallProtection.com >](http://MillerFallProtection.com)
[Interactive Miller Catalog >](#)
[Access the Miller Photo Gallery >](#)



Product Numbers & Ordering Information

	Product Numbers	Details
	T6111SS/6FTAF	Stretch Lanyard Contracts 6-ft to 4-ft Single leg; (2) locking snap hooks and shock absorber pack
	T6112SS/6FTAF	Stretch Lanyard Contracts 6-ft to 4-ft Single leg; locking snap hook, large locking rebar hook and shock absorber pack
	T6121SS/5FTAF	Stretch Lanyard Contracts 5-ft to 3-ft Double leg; locking snap hook, (2) large locking rebar hooks and shock absorber pack
	T6121SS/6FTAF	Stretch Lanyard Contracts 6-ft to 4-ft Double leg; locking snap hook, (2) large locking rebar hooks and shock absorber pack

	<p>T6122SS/4FTAF</p>	<p>Stretch Lanyard Contracts 4-ft to 2-ft 4' Stretch double-legged web lanyard w/shock absorber pack and 2-1/4" locking rebar snap hook on each leg</p>
	<p>T6122SS/6FTAF</p>	<p>Stretch Lanyard Contracts 6-ft to 4-ft 6' Stretch double-legged web lanyard w/shock absorber pack and 2-1/4" locking rebar snap hook on each leg</p>

Overview

Key Features

- Unique stretchable design (4 ft. [1.2m] to 6 ft. [1.8m]), minimizes tripping, snagging and dragging
- SofStop Shock Absorber pack is designed with a specially-woven inner core that smoothly expands up to 42 inches (1.1m) to reduce fall arrest forces
- Includes a heavy-duty back-up safety strap

Hazards

- Confined Space
- Fall from height

Regulations

- - Meets all applicable OSHA, ANSI and CSA standards

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

<p>Specification Sheets</p>	<p>For full engineering specification sheets, go to the spec sheet section under downloads and documentation</p>
------------------------------------	--

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Additional Information

800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com

Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com



For general inquiries
800.343.3411

View other Sperian Sites
© 2011 Sperian Protection