





Product Family

Titan Pack-Type Shock- Absorbing Lanyards

Pack-Type Shock-Absorbing Lanyards include the shock-absorber pack as an integral part of a standard lanyard. In the event of a fall, the pack expands 3-1/2 feet to reduce fall forces while a back-up safety strap deploys for added fall protection.

Visit MillerFallProtection.com > Interactive Miller Catalog > Access the Miller Photo Gallery >



Product Numbers & Ordering

Product Numbers	Details
T6111/10FTAF	Web Lanyard with Shock-Absorber Pack 10-ft single leg; two (2) locking snap hooks
T6111/12FTAF	Web Lanyard with Shock-Absorber Pack 12-ft single leg; two (2) locking snap hooks
T6111/16FTAF	Web Lanyard with Shock-Absorber Pack 16-ft single leg; two (2) locking snap hooks
T6111/3FTAF	Web Lanyard with Shock-Absorber Pack 3-ft single leg; two (2) locking snap hooks

T6111/4FTAF	Web Lanyard with Shock-Absorber Pack 4-ft single leg; two (2) locking snap hooks
T6111/5FTAF	Web Lanyard with Shock-Absorber Pack 5-ft single leg; two (2) locking snap hooks
T6111/6FTAF	Web Lanyard with Shock-Absorber Pack 6-ft single leg; two (2) locking snap hooks
T6111/8FTAF	Web Lanyard with Shock-Absorber Pack 8-ft single leg; two (2) locking snap hooks
T6111DP/6FTAF	Web Lanyard with Double Shock- Absorber Pack 6-ft single leg; two (2) locking snap hooks
T6111V/6FTAF	Web Lanyard with Shock-Absorber Pack 4' to 6' adjustable single leg; (2) locking snap hooks;
T6112/10FTAF	Web Lanyard with Shock-Absorber Pack 10-ft single leg; locking snap hook and large locking rebar hook
T6112/3FTAF	Web Lanyard with Shock-Absorber Pack 3-ft single leg; locking snap hook and large locking rebar hook
T6112/4FTAF	Web Lanyard with Shock-Absorber Pack 4-ft single leg; locking snap hook and large locking rebar hook
T6112/5FTAF	Web Lanyard with Shock-Absorber Pack 5-ft single leg; locking snap hook and large locking rebar hook
T6112/6FTAF	Web Lanyard with Shock-Absorber Pack 6-ft single leg; locking snap hook and large locking rebar hook

T6112/7FTAF	Web Lanyard with Shock-Absorber Pack 7-ft single leg; locking snap hook and large locking rebar hook
T6112V/6FTAF	Web Lanyard with Shock-Absorber Pack 4' to 6' adjustable single leg; shock absorber pack and large locking rebar hook
T6113/3FTAF	Web Lanyard with Shock-Absorber Pack 3' web lanyard w/shock absorber pack and 1-3/4" locking rebar hook
T6113/5FTAF	Web Lanyard with Shock-Absorber Pack 5' web lanyard w/shock absorber pack and 1-3/4" locking rebar hook
T6113/6FTAF	Web Lanyard with Shock-Absorber Pack 6' web lanyard w/shock absorber pack and 1-3/4" locking rebar hook
T6121/3FTAF	Web Lanyard with Shock-Absorber Pack 3' double-legged web lanyard w/shock absorber pack
T6121/4FTAF	Web Lanyard with Shock-Absorber Pack 4' double-legged web lanyard w/shock absorber pack
T6121/6FTAF	Web Lanyard with Shock-Absorber Pack 6' double-legged web lanyard w/shock absorber pack
T6121V/6FTAF	Adjustable Web Lanyard with Shock- Absorber Pack Adjustable 6-ft double-leg; shock absorber pack
T6122/10FTAF	Web Lanyard with Shock-Absorber Pack 10-ft double-leg; shock absorber pack; locking snap hook and (2) largelocking rebar hooks

Titan Pack-Type Shock-Absorbing Lanyards

T6122/3FTAF	Web Lanyard with Shock-Absorber Pack 3-ft double-leg; shock absorber pack; locking snap hook and (2) largelocking rebar hooks
T6122/4FTAF	Web Lanyard with Shock-Absorber Pack 4-ft double-leg; shock absorber pack; locking snap hook and (2) largelocking rebar hooks
T6122/5FTAF	Web Lanyard with Shock-Absorber Pack 5-ft double-leg; shock absorber pack; locking snap hook and (2) largelocking rebar hooks
T6122/6FTAF	Web Lanyard with Shock-Absorber Pack 6-ft double-leg; shock absorber pack; locking snap hook and (2) largelocking rebar hooks
T6123/6FTAF	Web Lanyard with Shock-Absorber Pack 6' double-legged web lanyard w/shock absorber pack and 1-3/4" locking rebar snap hook on each leg

Overview

Key Features

SofStop Shock Absorber pack is designed with a specially-woven inner core that smoothly expands up to 42 inches (1.1m) to reduce fall arrest forces

Hazards

- Confined Space
- Fall from height

Regulations

• - Meets all applicable OSHA, ANSI and CSA standards

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

Specification Sheets	For full engineering specification sheets, go to the spec sheet section under downloads and documentation
Small Locking Rebar Hook	1-3/4" [44mm] gate opening
Large Locking Rebar Hook	2-1/4" [57mm] gate opening

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Additional Information

800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com

Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com



For general inquiries 800.343.3411

View other Sperian Sites © 2011 Sperian Protection